



Grade 6 Learning Acceleration Guidance

Learning acceleration will ensure students have the skills they need to equitably access and practice on-grade level content. This chart is a reference guide for teachers to help them more quickly identify the specific prerequisite and co-requisite standards necessary for every Grade 6 math standard. Students should spend the large majority of their time on the major work of the grade (
). Supporting work (
) and, where appropriate, additional work (
) can engage students in the major work of the grade.

Understand the concept of a ratio and use ratio language to describe a ratio relationship between two quantities. For example, "The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every 2 wings there was 1 beak." "For every vote candidate A received, candidate C received nearly three votes." **A received, ca	6 th Grade Standard	Previous Grade(s) Standards	6 th Grade Standards Taught in Advance	6th Grade Standards Taught Concurrently
Generate two numerical patterns using two given rules. Identify apparent relationships between corresponding terms. Form ordered pairs consisting of corresponding terms from the two patterns, and graph the ordered pairs on a coordinate plane. For example, given the rule "Add 3" and the starting number 0, and given the rule "Add 6" and the starting number 0, generate terms in the resulting sequences, and observe that the terms in one sequence are twice the corresponding terms in the other sequence. Explain informally why this is. so. 5. NR BE Interpret multiplication as scaling (resizing). a. Comparing the size of a product to the size of one factor on the basis of the size of the tother factor, without performing the indicated multiplication. b. Explaining why multiplying a given number by a fraction greater than 1 results in a product greater than the given number (recognizing multiplication by whole numbers greater than 1 as a familiar case). c. Explaining why multiplying a given number by a fraction greater than 1 results in a product greater than the given number are are alternative than the given number are are furnities. C. Explaining why multiplying a given number by a fraction less than 1 results in a product smaller than the given numbers are are furnities. C. Explaining why multiplying a given number by a fraction less than 1 results in a product smaller than the given number; and relating the principle of fraction less than 1 results in a product smaller than the given number; and relating the principle of fraction lequivalence a/b = (n x a)/(n x b) to the effect of multiplying a/b by 1. d. Relating the principle of fraction equivalence a/b = (n x a)/(n x b) to the effect of multiplying a/b by 1.	6.RP.A.1 Understand the concept of a ratio and use ratio language to describe a ratio relationship between two quantities. For example, "The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every 2 wings there was 1 beak." "For every vote candidate A received, candidate C received nearly three	Multiply or divide to solve word problems involving multiplicative comparison, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem, distinguishing multiplicative comparison from additive comparison (Example: 6 times as many vs. 6 more than). 4.MD.A.1 Know relative sizes of measurement units within one system of units including: ft, in; km, m, cm; kg, g; lb, oz.; l, ml; hr, min, sec. Within a single system of measurement, express measurements in a larger unit in terms of a smaller unit. (Conversions are limited to one-step conversions.) Record measurement equivalents in a two-column table. For example, know that 1 ft is 12 times as long as 1 in. Express the length of a 4 ft snake as 48 in. Generate a conversion table for feet and inches listing the number pairs (1, 12), (2, 24), (3, 36), 5.OA.B.3 Generate two numerical patterns using two given rules. Identify apparent relationships between corresponding terms. Form ordered pairs consisting of corresponding terms from the two patterns, and graph the ordered pairs on a coordinate plane. For example, given the rule "Add 3" and the starting number 0, and given the rule "Add 6" and the starting number 0, generate terms in the resulting sequences, and observe that the terms in one sequence are twice the corresponding terms in the other sequence. Explain informally why this is so. 5.NF.B.5 Interpret multiplication as scaling (resizing). a. Comparing the size of a product to the size of one factor on the basis of the size of the other factor, without performing the indicated multiplication. b. Explaining why multiplying a given number by a fraction greater than 1 results in a product greater than the given number; and relating the principle of fraction equivalence a/b = (n × a)/(n × b) to the effect of multiplying a/b by 1. d. Relating the principle of fraction equivalence a/b =	o Grade Standards Taught in Advance	o Grade Standards Taught Concurrently

6 th Grade Standard	Previous Grade(s) Standards	6 th Grade Standards Taught in Advance	6 th Grade Standards Taught Concurrently
G.RP.A.2 Understand the concept of a unit rate a/b associated with a ratio a:b with b ≠ 0, and use rate language in the context of a ratio relationship. For example, "This recipe has a ratio of 3 cups of flour to 4 cups of sugar, so there is 3/4 cup of flour for each cup of sugar." "We paid \$75 for 15 hamburgers, which is a rate of \$5 per hamburger."	 4.O.A2 Multiply or divide to solve word problems involving multiplicative comparison, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem, distinguishing multiplicative comparison from additive comparison (Example: 6 times as many vs. 6 more than). 5.NF.B.3 Interpret a fraction as division of the numerator by the denominator (a/b = a ÷ b). Solve word problems involving division of whole numbers leading to answers in the form of fractions or mixed numbers, e.g., by using visual fraction models or equations to represent the problem. For example, interpret 3/4 as the result of dividing 3 by 4, noting that 3/4 multiplied by 4 equals 3, and that when 3 wholes are shared equally among 4 people each person has a share of size 3/4. If 9 people want to share a 50-pound sack of rice equally by weight, how many pounds of rice should each person get? Between what two whole numbers does your answer lie? 5.NF.B.7 Apply and extend previous understandings of division to divide unit fractions by whole numbers and whole numbers by unit fractions. a. Interpret division of a unit fraction by a nonzero whole number, and compute such quotients. For example, create a story context for (1/3) ÷ 4, and use a visual fraction model to show the quotient. Use the relationship between multiplication and division to explain that (1/3) ÷ 4 = 1/12 because (1/12) × 4 = 1/3. b. Interpret division of a whole number by a unit fraction, and compute such quotients. For example, create a story context for 4 ÷ (1/5), and use a visual fraction model to show the quotient. Use the relationship between multiplication and division to explain that 4 ÷ (1/5) = 20 because 20 × (1/5) = 4. c. Solve real-world problems involving division of unit fractions by non-zero whole numbers and division of whole numbers by unit fractions, e.g., by using visual fraction models and equations to represent the problems. For example, how much chocol	6.RP.A.1 Understand the concept of a ratio and use ratio language to describe a ratio relationship between two quantities. For example, "The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every 2 wings there was 1 beak." "For every vote candidate A received, candidate C received nearly three votes."	Grade Standards Taught Concurrently

6 th Grade Standard	Previous Grade(s) Standards	6 th Grade Standards Taught in Advance	6th Grade Standards Taught Concurrently
6.RP.A.3			
Use ratio and rate reasoning to solve real-			
world and mathematical problems, e.g., by			
reasoning about tables of equivalent ratios,			
tape diagrams, double number line diagrams,			
or equations.			
a. Make tables of equivalent ratios relating			
quantities with whole-number			
measurements, find missing values in the			
tables, and plot the pairs of values on			
the coordinate plane. Use tables to			
compare ratios.			
b. Solve unit rate problems including those			
involving unit pricing and constant			
speed. For example, if it took 7 hours to			
mow 4 lawns, then at that rate, how			
many lawns could be mowed in 35			
hours? At what unit rate were lawns			
being mowed?			
c. Find a percent of a quantity as a rate per			
100 (e.g., 30% of a quantity means			
30/100 times the quantity); solve			
problems involving finding the whole,			
given a part and the percent. d. Use ratio reasoning to convert			
measurement units; manipulate and			
transform units appropriately when			
multiplying or dividing quantities.			

6 th Grade Standard	Previous Grade(s) Standards	6 th Grade Standards Taught in Advance	6 th Grade Standards Taught Concurrently
6.NS.A.1	3.OA.B.6		
Interpret and compute quotients of fractions,	Understand division as an unknown-factor		
and solve word problems involving division of	problem. For example, find 32 ÷ 8 by finding		
fractions by fractions, e.g., by using visual	the number that makes 32 when multiplied by		
fraction models and equations to represent	8.		
the problem. For example, create a story	5.NF.B.7		
context for $(2/3) \div (3/4)$ and use a visual	Apply and extend previous understandings of		
fraction model to show the quotient; use the	division to divide unit fractions by whole		
relationship between multiplication and	numbers and whole numbers by unit		
division to explain that $(2/3) \div (3/4) = 8/9$	fractions.		
because 3/4 of 8/9 is 2/3. (In general, (a/b) ÷	a. Interpret division of a unit fraction by a		
(c/d) = ad/bc.) How much chocolate will each	non-zero whole number, and compute		
person get if 3 people share 1/2 lb of	such quotients. For example, create a		
chocolate equally? How many 3/4-cup	story context for $(1/3) \div 4$, and use a		
servings are in 2/3 of a cup of yogurt? How	visual fraction model to show the		
wide is a rectangular strip of land with length	quotient. Use the relationship between		
3/4 mi and area 1/2 square mi?	multiplication and division to explain that		
	$(1/3) \div 4 = 1/12$ because $(1/12) \times 4 = 1/3$.		
	b. Interpret division of a whole number by		
	a unit fraction, and compute such		
	quotients. For example, create a story		
	context for $4 \div (1/5)$, and use a visual		
	fraction model to show the quotient. Use		
	the relationship between multiplication		
	and division to explain that $4 \div (1/5) = 20$		
	because 20 × (1/5) = 4.		
	c. Solve real-world problems involving		
	division of unit fractions by non-zero		
	whole numbers and division of whole		
	numbers by unit fractions, e.g., by using		
	visual fraction models and equations to		
	represent the problem. For example,		
	how much chocolate will each person get		
	if 3 people share 1/2 lb of chocolate		
	equally? How many 1/3-cup servings are		
C NC D 2	in 2 cups of raisins?		
6.NS.B.2	5.NBT.B.6		
Fluently divide multi-digit numbers using the	Find whole-number quotients of whole		
standard algorithm.	numbers with up to four-digit dividends and		
	two-digit divisors, using strategies based on		
	place value, the properties of operations,		
	subtracting multiples of the divisor, and/or		
	the relationship between multiplication and		
	division. Illustrate and/or explain the		
	calculation by using equations, rectangular		
	arrays, area models, or other strategies based		
	on place value.		

6 th Grade Standard	Previous Grade(s) Standards	6 th Grade Standards Taught in Advance	6 th Grade Standards Taught Concurrently
6.NS.B.3	5.NBT.B.5	6.NS.B.2	
Fluently add, subtract, multiply, and divide	Fluently multiply multi-digit whole numbers	Fluently divide multi-digit numbers using the	
multi-digit decimals using the standard	using the standard algorithm.	standard algorithm.	
algorithm for each operation.	5.NBT.B.6	_	
	Find whole-number quotients of whole		
	numbers with up to four-digit dividends and		
	two-digit divisors, using strategies based on		
	place value, the properties of operations,		
	subtracting multiples of the divisor, and/or		
	the relationship between multiplication and		
	division. Illustrate and/or explain the		
	calculation by using equations, rectangular		
	arrays, area models, or other strategies based		
	on place value.		
	5.NBT.B.7		
	Add, subtract, multiply, and divide decimals		
	to hundredths, using concrete models or		
	drawings and strategies based on place value,		
	properties of operations, and/or the		
	relationship between addition and		
	subtraction; justify the reasoning used with a		
	written explanation.		
6.NS.B.4	4.OA.B.4		
Find the greatest common factor of two	Using whole numbers in the range 1–100,		
whole numbers less than or equal to 100 and	a. Find all factor pairs for a given whole		
the least common multiple of two whole	number.		
numbers less than or equal to 12. Use the	b. Recognize that a given whole number is		
distributive property to express a sum of two	a multiple of each of its factors.		
whole numbers 1-100 with a common factor	c. Determine whether a given whole		
as a multiple of a sum of two whole numbers	number is a multiple of a given one-digit		
with no common factor. For example, express	number.		
36 + 8 as 4 (9 + 2).	d. Determine whether a given whole		
	number is prime or composite. 5.OA.A.2		
	Write simple expressions that record		
	calculations with whole numbers, fractions		
	and decimals, and interpret numerical		
	expressions without evaluating them. For		
	example, express the calculation "add 8 and 7,		
	then multiply by 2" as $2 \times (8 + 7)$. Recognize		
	that $3 \times (18,932 + 9.21)$ is three times as large		
	as 18,932 + 9.21, without having to calculate		
	the indicated sum or product.		

6 th Grade Standard	Previous Grade(s) Standards	6th Grade Standards Taught in Advance	6 th Grade Standards Taught Concurrently
6.NS.C.5			
Understand that positive and negative			
numbers are used together to describe			
quantities having opposite directions or			
values (e.g., temperature above/below zero,			
elevation above/below sea level,			
credits/debits, positive/negative electric			
charge); use positive and negative numbers to			
represent quantities in real-world contexts,			
explaining the meaning of 0 in each situation.			
	2 NE A 2	C NC C F	
6.NS.C.6	3.NF.A.2	6.NS.C.5	
Understand a rational number as a point on	Understand a fraction with denominators 2,	Understand that positive and negative	
the number line. Extend number line	3, 4, 6, and 8 as a number on the number line;	numbers are used together to describe	
diagrams and coordinate axes familiar from	represent fractions on a number line diagram.	quantities having opposite directions or	
previous grades to represent points on the	a. Represent a fraction 1/b on a number	values (e.g., temperature above/below zero,	
line and in the plane with negative number	line diagram by defining the interval	elevation above/below sea level,	
coordinates.	from 0 to 1 as the whole and partitioning	credits/debits, positive/negative electric	
a. Recognize opposite signs of numbers as	it into b equal parts. Recognize that each	charge); use positive and negative numbers to	
indicating locations on opposite sides of	part has size 1/b and that the endpoint	represent quantities in real-world contexts,	
0 on the number line; recognize that the	of the part based at 0 locates the	explaining the meaning of 0 in each situation.	
opposite of the opposite of a number is	number 1/b on the number line.		
the number itself, e.g., $-(-3) = 3$, and that	b. Represent a fraction a/b on a number		
0 is its own opposite.	line diagram by marking off a lengths 1/b		
b. Understand signs of numbers in ordered	from 0. Recognize that the resulting		
pairs as indicating locations in quadrants	interval has size a/b and that its		
of the coordinate plane; recognize that	endpoint locates the number a/b on the		
when two ordered pairs differ only by	number line.		
signs, the locations of the points are	<mark>5.G.A.1</mark>		
related by reflections across one or both	Use a pair of perpendicular number lines,		
axes.	called axes, to define a coordinate system,		
c. Find and position integers and other	with the intersection of the lines (the origin)		
rational numbers on a horizontal or	arranged to coincide with the 0 on each line		
vertical number line diagram; find and	and a given point in the plane located by		
position pairs of integers and other	using an ordered pair of numbers, called its		
rational numbers on a coordinate plane.	coordinates. Understand that the first		
	number in the ordered pair indicates how far		
	to travel from the origin in the direction of		
	one axis, and the second number in the		
	ordered pair indicates how far to travel in the		
	direction of the second axis, with the		
	convention that the names of the two axes		
	and the coordinates correspond (e.g., x-axis		
	and x-coordinate, y-axis and y-coordinate).		
	and x-coordinate, y-axis and y-coordinate).		

6 th Grade Standard	Previous Grade(s) Standards	6 th Grade Standards Taught in Advance	6 th Grade Standards Taught Concurrently
6.NS.C.7			
Understand ordering and absolute value of			
rational numbers.			
a. Interpret statements of inequality as			
statements about the relative position of			
two numbers on a number line			
diagram. For example, interpret -3 > -7 as			
a statement that -3 is located to the right			
of -7 on a number line oriented from left			
to right.			
b. Write, interpret, and explain statements			
of order for rational numbers in real-			
world contexts. For example, write -3 °C			
> -7 °C to express the fact that -3 °C is			
warmer than -7 °C.			
c. Understand the absolute value of a			
rational number as its distance from 0 on			
the number line; interpret absolute			
value as magnitude for a positive or			
negative quantity in a real-world			
situation. For example, for an account			
balance of -30 dollars, write -30 = 30			
to describe the size of the debt in dollars.			
d. Distinguish comparisons of absolute			
value from statements about order. For			
example, recognize that an account			
balance less than -30 dollars represents a			
debt greater than 30 dollars.			
6.NS.C.8	5.G.A.2		6.G.A.3
Solve real-world and mathematical problems	Represent real-world and mathematical		Draw polygons in the coordinate plane given
by graphing points in all four quadrants of the	problems by graphing points in the first		coordinates for the vertices; use coordinates to
coordinate plane. Include use of coordinates	quadrant of the coordinate plane, and		find the length of a side joining points with the
and absolute value to find distances between	interpret coordinate values of points in the		same first coordinate or the same second
points with the same first coordinate or the	context of the situation.		coordinate. Apply these techniques in the
same second coordinate.			context of solving real-world and mathematical
			problems.

6 th Grade Standard	Previous Grade(s) Standards	6 th Grade Standards Taught in Advance	6 th Grade Standards Taught Concurrently
6.EE.A.1	4.OA.B.4		
Write and evaluate numerical expressions	Using whole numbers in the range 1–100,		
involving whole-number exponents.	a. Find all factor pairs for a given whole		
	number.		
	b. Recognize that a given whole number is		
	a multiple of each of its factors.		
	c. Determine whether a given whole		
	number is a multiple of a given one-digit		
	number.		
	d. Determine whether a given whole		
	number is prime or composite.		
	5.NBT.A.2		
	Explain and apply patterns in the number of		
	zeros of the product when multiplying a		
	number by powers of 10. Explain and apply		
	patterns in the values of the digits in the		
	product or the quotient, when a decimal is		
	multiplied or divided by a power of 10. Use		
	whole-number exponents to denote powers		
	of 10. For example, $10^0 = 1$, $10^1 = 10$ and		
	$2.1 \times 10^2 = 210.$		

	6 th Grade Standard	Previous Grade(s) Standards	6 th Grade Standards Taught in Advance	6 th Grade Standards Taught Concurrently
6.1	E.A.2	5.OA.A.2	6.EE.A.1	
W	rite, read, and evaluate expressions in	Write simple expressions that record	Write and evaluate numerical expressions	
wł	nich letters stand for numbers.	calculations with whole numbers, fractions	involving whole-number exponents.	
a.	Write expressions that record operations	and decimals, and interpret numerical		
	with numbers and with letters standing	expressions without evaluating them. For		
	for numbers. For example, express the	example, express the calculation "add 8 and 7,		
	calculation "Subtract y from 5" as 5 - y.	then multiply by 2" as 2 \times (8 + 7). Recognize		
b.	Identify parts of an expression using	that $3 \times (18,932 + 9.21)$ is three times as large		
	mathematical terms (sum, term,	as 18,932 + 9.21, without having to calculate		
	product, factor, quotient, coefficient);	the indicated sum or product.		
	view one or more parts of an expression	5.OA.B.3		
	as a single entity. For example, describe	Generate two numerical patterns using two		
	the expression 2 (8 + 7) as a product of	given rules. Identify apparent relationships		
	two factors; view (8 + 7) as both a single	between corresponding terms. Form ordered		
	entity and a sum of two terms.	pairs consisting of corresponding terms from		
C.	Evaluate expressions at specific values of	the two patterns, and graph the ordered pairs		
	their variables. Include expressions that	on a coordinate plane. For example, given the		
	arise from formulas used in real-world	rule "Add 3" and the starting number 0, and		
	problems. Perform arithmetic	given the rule "Add 6" and the starting		
	operations, including those involving	number 0, generate terms in the resulting		
	whole-number exponents, in the	sequences, and observe that the terms in one		
	conventional order when there are no	sequence are twice the corresponding terms		
	parentheses to specify a particular order	in the other sequence. Explain informally why		
	(Order of Operations). For example, use	this is so.		
	the formulas $V = s^3$ and $A = 6 s^2$ to find			
	the volume and surface area of a cube			
	with sides of length $s = 1/2$.			

6.EE.A.3

Apply the properties of operations to generate equivalent expressions. For example, apply the distributive property to the expression 3 (2 + x) to produce the equivalent expression 6 + 3x; apply the distributive property to the expression 24x + 18y to produce the equivalent expression 6 (4x + 3y); apply properties of operations to y + y + y to produce the equivalent expression 3y.

1.OA.B.3

Apply properties of operations to add and subtract. Examples: If 8 + 3 = 11 is known, then 3 + 8 = 11 is also known. (Commutative property of addition.) To add 2 + 6 + 4, the second two numbers can be added to make a ten, so 2 + 6 + 4 = 2 + 10 = 12. (Associative property of addition.)

3.OA.B.5

Apply properties of operations as strategies to multiply and divide. Examples: If $6 \times 4 = 24$ is known, then $4 \times 6 = 24$ is also known. (Commutative property of multiplication.) $3 \times 5 \times 2$ can be found by $3 \times 5 = 15$, then $15 \times 2 = 30$, or by $5 \times 2 = 10$, then $3 \times 10 = 30$. (Associative property of multiplication.) Knowing that $8 \times 5 = 40$ and $8 \times 2 = 16$, one can find 8×7 as $8 \times (5 + 2) = (8 \times 5) + (8 \times 2) = 40 + 16 = 56$. (Distributive property.)

5.OA.A.2

Write simple expressions that record calculations with whole numbers, fractions and decimals, and interpret numerical expressions without evaluating them. For example, express the calculation "add 8 and 7, then multiply by 2" as $2 \times (8 + 7)$. Recognize that $3 \times (18,932 + 9.21)$ is three times as large as 18,932 + 9.21, without having to calculate the indicated sum or product.

6.NS.B.4

Find the greatest common factor of two whole numbers less than or equal to 100 and the least common multiple of two whole numbers less than or equal to 12. Use the distributive property to express a sum of two whole numbers 1-100 with a common factor as a multiple of a sum of two whole numbers with no common factor. For example, express 36 + 8 as 4 (9 + 2).

6.EE.A.2

Write, read, and evaluate expressions in which letters stand for numbers.

- a. Write expressions that record operations with numbers and with letters standing for numbers. For example, express the calculation "Subtract y from 5" as 5 y.
- b. Identify parts of an expression using mathematical terms (sum, term, product, factor, quotient, coefficient); view one or more parts of an expression as a single entity. For example, describe the expression 2 (8 + 7) as a product of two factors; view (8 + 7) as both a single entity and a sum of two terms.
- c. Evaluate expressions at specific values of their variables. Include expressions that arise from formulas used in real-world problems. Perform arithmetic operations, including those involving whole-number exponents, in the conventional order when there are no parentheses to specify a particular order (Order of Operations). For example, use the formulas $V = s^3$ and $A = 6 s^2$ to find the volume and surface area of a cube with sides of length s = 1/2.

6.EE.A.4

Identify when two expressions are equivalent (i.e., when the two expressions name the same number regardless of which value is substituted into them). For example, the expressions y + y + y and 3y are equivalent because they name the same number regardless of which number y stands for.

6.EE.A.4

Identify when two expressions are equivalent (i.e., when the two expressions name the same number regardless of which value is substituted into them). For example, the expressions y + y + y and 3y are equivalent because they name the same number regardless of which number y stands for.

1.OA.B.3

Apply properties of operations to add and subtract. Examples: If 8 + 3 = 11 is known, then 3 + 8 = 11 is also known. (Commutative property of addition.) To add 2 + 6 + 4, the second two numbers can be added to make a ten, so 2 + 6 + 4 = 2 + 10 = 12. (Associative property of addition.)

3.OA.B.5

Apply properties of operations as strategies to multiply and divide. Examples: If $6 \times 4 = 24$ is known, then $4 \times 6 = 24$ is also known. (Commutative property of multiplication.) $3 \times 5 \times 2$ can be found by $3 \times 5 = 15$, then $15 \times 2 = 30$, or by $5 \times 2 = 10$, then $3 \times 10 = 30$. (Associative property of multiplication.) Knowing that $8 \times 5 = 40$ and $8 \times 2 = 16$, one can find 8×7 as $8 \times (5 + 2) = (8 \times 5) + (8 \times 2) = 40 + 16 = 56$. (Distributive property.)

5.OA.A.2

Write simple expressions that record calculations with whole numbers, fractions and decimals, and interpret numerical expressions without evaluating them. For example, express the calculation "add 8 and 7, then multiply by 2" as $2 \times (8 + 7)$. Recognize that $3 \times (18,932 + 9.21)$ is three times as large as 18,932 + 9.21, without having to calculate the indicated sum or product.

6.NS.B.4

Find the greatest common factor of two whole numbers less than or equal to 100 and the least common multiple of two whole numbers less than or equal to 12. Use the distributive property to express a sum of two whole numbers 1-100 with a common factor as a multiple of a sum of two whole numbers with no common factor. For example, express 36 + 8 as 4 (9 + 2).

6.EE.A.2

Write, read, and evaluate expressions in which letters stand for numbers.

- Write expressions that record operations with numbers and with letters standing for numbers. For example, express the calculation "Subtract y from 5" as 5 - y.
- b. Identify parts of an expression using mathematical terms (sum, term, product, factor, quotient, coefficient); view one or more parts of an expression as a single entity. For example, describe the expression 2 (8 + 7) as a product of two factors; view (8 + 7) as both a single entity and a sum of two terms.
- c. Evaluate expressions at specific values of their variables. Include expressions that arise from formulas used in real-world problems. Perform arithmetic operations, including those involving whole-number exponents, in the conventional order when there are no parentheses to specify a particular order (Order of Operations). For example, use the formulas $V = s^3$ and $A = 6 s^2$ to find the volume and surface area of a cube with sides of length s = 1/2.

6.EE.A.3

Apply the properties of operations to generate equivalent expressions. For example, apply the distributive property to the expression 3(2 + x) to produce the equivalent expression 6 + 3x; apply the distributive property to the expression 24x + 18y to produce the equivalent expression 6(4x + 3y); apply properties of operations to y + y + y to produce the equivalent expression 3y.

6 th Grade Standard	Previous Grade(s) Standards	6 th Grade Standards Taught in Advance 6 th Grade Standards Taught Concurrently
6.EE.B.5		6.EE.B.7
Understand solving an equation or inequality		Write, read, and evaluate expressions in Solve real-world and mathematical problems by
as a process of answering a question: which		which letters stand for numbers. writing and solving equations and inequalities of
values from a specified set, if any, make the		a. Write expressions that record operations the form $x + p = q$ and $px = q$ for cases in
equation or inequality true? Use substitution		with numbers and with letters standing which p , q and x are all nonnegative rational
to determine whether a given number in a		for numbers. For example, express the $\underline{\text{numbers}}$. Inequalities will include $<$, $>$, \le , and \ge .
specified set makes an equation or inequality		calculation "Subtract y from 5" as 5 - y. 6.EE.B.8
true.		b. Identify parts of an expression using Write an inequality of the form $x > c$ or $x < c$ to
		mathematical terms (sum, term, represent a constraint or condition in a real-
		product, factor, quotient, coefficient); world or mathematical problem. Recognize that
		view one or more parts of an expression inequalities of the form $x > c$ or $x < c$ have
		as a single entity. For example, describe infinitely many solutions; represent solutions of
		the expression 2 (8 + 7) as a product of such inequalities on number line diagrams.
		two factors; view (8 + 7) as both a single
		entity and a sum of two terms.
		c. Evaluate expressions at specific values of
		their variables. Include expressions that
		arise from formulas used in real-world
		problems. Perform arithmetic
		operations, including those involving
		whole-number exponents, in the conventional order when there are no
		parentheses to specify a particular order
		(Order of Operations). For example, use
		the formulas $V = s^3$ and $A = 6 s^2$ to find the volume and surface area of a sub-
		the volume and surface area of a cube
		with sides of length $s = 1/2$.

oblems by
qualities of
in
itional
≤, and ≥.

6 th Grade Standard	Previous Grade(s) Standards	6 th Grade Standards Taught in Advance	6 th Grade Standards Taught Concurrently
Solve real-world and mathematical problems by writing and solving equations and inequalities of the form $x + p = q$ and $px = q$ for cases in which p , q and x are all nonnegative rational numbers. Inequalities will include $<$, $>$, \le , and \ge .	Add and subtract fractions with unlike denominators (including mixed numbers) by replacing given fractions with equivalent fractions in such a way as to produce an equivalent sum or difference of fractions with like denominators. For example, 2/3 + 5/4 = 8/12 + 15/12 = 23/12. (In general, a/b + c/d = (ad + bc)/bd.) 5.NF.B.4 Apply and extend previous understandings of multiplication to multiply a fraction or whole number by a fraction. a. Interpret the product (m/n) x q as m parts of a partition of q into n equal parts; equivalently, as the result of a sequence of operations, m x q ÷ n. For example, use a visual fraction model to show understanding, and create a story context for (m/n) x q. b. Construct a model to develop understanding of the concept of multiplying two fractions and create a story context for the equation. [In general, (m/n) x (c/d) = (mc)/(nd).] c. Find the area of a rectangle with fractional side lengths by tiling it with unit squares of the appropriate unit fraction side lengths, and show that the area is the same as would be found by multiplying the side lengths. d. Multiply fractional side lengths to find areas of rectangles, and represent fraction products as rectangular areas.	Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the problem. For example, create a story context for (2/3) ÷ (3/4) and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that (2/3) ÷ (3/4) = 8/9 because 3/4 of 8/9 is 2/3. (In general, (a/b) ÷ (c/d) = ad/bc.) How much chocolate will each person get if 3 people share 1/2 lb of chocolate equally? How many 3/4-cup servings are in 2/3 of a cup of yogurt? How wide is a rectangular strip of land with length 3/4 mi and area 1/2 square mi?	Understand solving an equation or inequality as a process of answering a question: which values from a specified set, if any, make the equation or inequality true? Use substitution to determine whether a given number in a specified set makes an equation or inequality true. 6.EE.B.6 Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown number, or, depending on the purpose at hand, any number in a specified set. 6.EE.C.9 Use variables to represent two quantities in a real-world problem that change in relationship to one another; write an equation to express one quantity, thought of as the dependent variable, in terms of the other quantity, thought of as the independent variable. Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation. For example, in a problem involving motion at constant speed, list and graph ordered pairs of distances and times, and write the equation d = 65t to represent the relationship between distance and time.
6.EE.B.8 Write an inequality of the form $x > c$ or $x < c$ to represent a constraint or condition in a real-world or mathematical problem. Recognize that inequalities of the form $x > c$ or $x < c$ have infinitely many solutions; represent solutions of such inequalities on number line diagrams.			G.EE.B.5 Understand solving an equation or inequality as a process of answering a question: which values from a specified set, if any, make the equation or inequality true? Use substitution to determine whether a given number in a specified set makes an equation or inequality true.

6 th Grade Standard	Previous Grade(s) Standards	6 th Grade Standards Taught in Advance	6 th Grade Standards Taught Concurrently	
6.EE.C.9	5.OA.B.3		6.EE.B.7	
Use variables to represent two quantities in a	Generate two numerical patterns using two		Solve real-world and mathematical problems by	
real-world problem that change in	given rules. Identify apparent relationships		writing and solving equations and inequalities of	
relationship to one another; write an	between corresponding terms. Form ordered		the form $x + p = q$ and $px = q$ for cases in	
equation to express one quantity, thought of	pairs consisting of corresponding terms from		which p, q and x are all nonnegative rational	
as the dependent variable, in terms of the	the two patterns, and graph the ordered pairs		numbers. Inequalities will include <, >, ≤, and ≥.	
other quantity, thought of as the independent	on a coordinate plane. For example, given the			
variable. Analyze the relationship between	rule "Add 3" and the starting number 0, and			
the dependent and independent variables	given the rule "Add 6" and the starting			
using graphs and tables, and relate these to	number 0, generate terms in the resulting			
the equation. For example, in a problem	sequences, and observe that the terms in one			
involving motion at constant speed, list and	sequence are twice the corresponding terms			
graph ordered pairs of distances and times,	in the other sequence. Explain informally why			
and write the equation d = 65t to represent	this is so.			
the relationship between distance and time.				

6 th Grade Standard	Previous Grade(s) Standards	6 th Grade Standards Taught in Advance	6 th Grade Standards Taught Concurrently
6.G.A.1	4.MD.A.3		
Find the area of right triangles, other	Apply the area and perimeter formulas for		
triangles, special quadrilaterals, and polygons	rectangles in real-world and mathematical		
by composing into rectangles or decomposing	problems. For example, find the width of a		
into triangles and other shapes; apply these	rectangular room given the area of the		
techniques in the context of solving real-	flooring and the length, by viewing the area		
world and mathematical problems.	formula as a multiplication equation with an		
	unknown factor.		
	4.MD.D.8		
	Recognize area as additive. Find areas of		
	rectilinear figures by decomposing them into		
	non-overlapping rectangles and adding the		
	areas of the non-overlapping parts, applying		
	this technique to solve real-world problems.		
	5.NF.B.4		
	Apply and extend previous understandings of		
	multiplication to multiply a fraction or whole		
	number by a fraction.		
	a. Interpret the product $(m/n) \times q$ as m		
	parts of a partition of q into n equal		
	parts; equivalently, as the result of a		
	sequence of operations, $m \times q \div n$. For		
	example, use a visual fraction model to		
	show understanding, and create a story		
	context for (m/n) x q.		
	b. Construct a model to develop		
	understanding of the concept of		
	multiplying two fractions and create a		
	story context for the equation. [In		
	general, $(m/n) \times (c/d) = (mc)/(nd)$.]		
	c. Find the area of a rectangle with		
	fractional side lengths by tiling it with		
	unit squares of the appropriate unit		
	fraction side lengths, and show that the		
	area is the same as would be found by		
	multiplying the side lengths.		
	d. Multiply fractional side lengths to find		
	areas of rectangles, and represent		
	fraction products as rectangular areas.		

6 th Grade Standard	Previous Grade(s) Standards	6 th Grade Standards Taught in Advance	6 th Grade Standards Taught Concurrently
6.G.A.2 Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Apply the formulas $V = l \ w \ h$ and $V = b \ h$ to find volumes of right rectangular prisms with fractional edge lengths in the context of solving real-world and mathematical problems.	S.MD.C.5 Relate volume to the operations of multiplication and addition and solve realworld and mathematical problems involving volume. a. Find the volume of a right rectangular prism with whole-number side lengths by packing it with unit cubes, and show that the volume is the same as would be found by multiplying the edge lengths, equivalently by multiplying the height by the area of the base. Represent threefold whole-number products as volumes, e.g., to represent the associative property of multiplication. b. Apply the formulas V = I × w × h and V = b × h for rectangular prisms to find volumes of right rectangular prisms with whole-number edge lengths in the context of solving real-world and mathematical problems. c. Recognize volume as additive. Find volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real-world problems.	6 th Grade Standards Taught in Advance	6th Grade Standards Taught Concurrently
Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques in the context of solving real-world and mathematical problems.	5.G.A.2 Represent real-world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.		G.NS.C.8 Solve real-world and mathematical problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.
6.G.A.4 Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical problems.		6.G.A.1 Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques in the context of solving realworld and mathematical problems.	

6 th Grade Standard	Previous Grade(s) Standards	6 th Grade Standards Taught in Advance	6 th Grade Standards Taught Concurrently
6.SP.A.1 Recognize a statistical question as one that	5.MD.B.2 Make a line plot to display a data set of		
anticipates variability in the data related to	measurements in fractions of a unit (1/2, 1/4,		
the question and accounts for it in the answers. For example, "How old am I?" is not	1/8). Use operations on fractions for this grade to solve problems involving information		
a statistical question, but "How old are the	presented in line plots. For example, given		
students in my school?" is a statistical	different measurements of liquid in identical		
question because one anticipates variability in	beakers, find the amount of liquid each		
students' ages.	beaker would contain if the total amount in		
	all the beakers were redistributed equally.		
6.SP.A.2 Understand that a set of data collected to	5.MD.B.2		
answer a statistical question has a	Make a line plot to display a data set of measurements in fractions of a unit (1/2, 1/4,		
distribution which can be described by its	1/8). Use operations on fractions for this		
center, spread, and overall shape.	grade to solve problems involving information		
	presented in line plots. For example, given		
	different measurements of liquid in identical		
	beakers, find the amount of liquid each		
	beaker would contain if the total amount in all the beakers were redistributed equally.		
6.SP.A.3	un the beakers were reastributed equally.	6.SP.A.1	
Recognize that a measure of center for a		Recognize a statistical question as one that	
numerical data set summarizes all of its		anticipates variability in the data related to	
values with a single number, while a measure		the question and accounts for it in the	
of variation describes how its values vary with		answers. For example, "How old am I?" is not	
a single number.		a statistical question, but "How old are the students in my school?" is a statistical	
		question because one anticipates variability in	
		students' ages.	
		6.SP.A.2	
		Understand that a set of data collected to	
		answer a statistical question has a	
		distribution which can be described by its	
		center, spread, and overall shape.	

6 th Grade Standard	Previous Grade(s) Standards	6 th Grade Standards Taught in Advance	6th Grade Standards Taught Concurrently
6.SP.B.4	5.MD.B.2		6.SP.B.5
Display numerical data in plots on a number	Make a line plot to display a data set of		Summarize numerical data sets in relation to
line, including dot plots, histograms, and box	measurements in fractions of a unit (1/2, 1/4,		their context, such as by:
plots.	1/8). Use operations on fractions for this		a. Reporting the number of observations.
	grade to solve problems involving information		b. Describing the nature of the attribute
	presented in line plots. For example, given different measurements of liquid in identical		under investigation, including how it was measured and its units of measurement.
	beakers, find the amount of liquid each		c. Giving quantitative measures of center
	beaker would contain if the total amount in		(median and/or mean) and variability
	all the beakers were redistributed equally.		(interquartile range), as well as describing
	,		any overall pattern and any striking
			deviations from the overall pattern with
			reference to the context in which the data
			were gathered.
			d. Relating the choice of measures of center
			and variability to the shape of the data
			distribution and the context in which the
C CD D E		C CD A 3	data were gathered.
6.SP.B.5 Summarize numerical data sets in relation to		6.SP.A.2 Understand that a set of data collected to	6.SP.B.4 Display numerical data in plots on a number
their context, such as by:		answer a statistical question has a	line, including dot plots, histograms, and box
a. Reporting the number of observations.		distribution which can be described by its	plots.
b. Describing the nature of the attribute		center, spread, and overall shape.	'
under investigation, including how it was		6.SP.A.3	
measured and its units of measurement.		Recognize that a measure of center for a	
c. Giving quantitative measures of center		numerical data set summarizes all of its	
(median and/or mean) and variability		values with a single number, while a measure	
(interquartile range), as well as		of variation describes how its values vary with	
describing any overall pattern and any striking deviations from the overall		a single number.	
pattern with reference to the context in			
which the data were gathered.			
d. Relating the choice of measures of			
center and variability to the shape of the			
data distribution and the context in			
which the data were gathered.			