



Grade 2 Guide to Rigor in Mathematics 2.0

In order to provide a quality mathematical education for students, instruction must be rigorous, focused, and coherent. This document provides explanations and a standards-based alignment to assist teachers in providing the first of those: a rigorous education. While this document will help teachers identify the explicit component(s) of rigor called for by each of the Louisiana Student Standards for Mathematics (LSSM), it is up to the teacher to ensure his/her instruction aligns to the expectations of the standards, allowing for the proper development of rigor in the classroom.

This rigor document is considered a “living” document as we believe that teachers and other educators will find ways to improve the document as they use it. Please send feedback to classroomsupporttoolbox@la.gov so that we may use your input when updating this guide.

Posted August 2, 2017



Table of Contents

Introduction

Definitions of the Components of Rigor	2
A Special Note on Procedural Skill and Fluency	2
Recognizing the Components of Rigor	3
Focus in the standards	3

Grade 2 LSSM Rigor Alignments	4
---	---

Definitions of the Components of Rigor

Rigorous teaching in mathematics does not simply mean increasing the difficulty or complexity of practice problems. Incorporating rigor into classroom instruction and student learning means exploring at a greater depth, the standards and ideas with which students are grappling. There are **three** components of rigor that will be expanded upon in this document, and each is equally important to student mastery: **Conceptual Understanding, Procedural Skill and Fluency, and Application.**

- **Conceptual Understanding** refers to understanding mathematical concepts, operations, and relations. It is more than knowing isolated facts and methods. Students should be able to make sense of why a mathematical idea is important and the kinds of contexts in which it is useful. It also allows students to connect prior knowledge to new ideas and concepts.
- **Procedural Skill and Fluency** is the ability to apply procedures accurately, efficiently, and flexibly. It requires speed and accuracy in calculation while giving students opportunities to practice basic skills. Students' ability to solve more complex application tasks is dependent on procedural skill and fluency.
- **Application** provides valuable context for learning and the opportunity to solve problems in a relevant and a meaningful way. It is through real-world application that students learn to select an efficient method to find a solution, determine whether the solution makes sense by reasoning, and develop critical thinking skills.

A Special Note on Procedural Skill and Fluency

While speed is definitely a component of fluency, it is not necessarily speed in producing an answer; rather, fluency can be observed by watching the speed with which a student engages with a particular problem. Furthermore, fluency does not require the most efficient strategy. The standards specify grade-level appropriate strategies or types of strategies with which students should demonstrate fluency (e.g., 1.OA.C.6 allows for students to use counting on, making ten, creating equivalent but easier or known sums, etc.). It should also be noted that teachers should expect some procedures to take longer than others (e.g., fluency with the standard algorithm for division, 6.NS.B.2, as compared to fluently adding and subtracting within 10, 1.OA.C.6).

Standards identified as targeting procedural skill and fluency do not all have an expectation of automaticity and/or rote recall. Only two standards, 2.OA.B.2 and 3.OA.C.7, have explicit expectations of students knowing facts from memory. Other standards targeting procedural skill and fluency do not require students to reach automaticity. For example, in 4.G.A.2, students do not need to reach automaticity in classifying two-dimensional figures.

Recognizing the Components of Rigor

In the LSSM each standard is aligned to one or more components of rigor, meaning that each standard aims to promote student growth in conceptual understanding, procedural skill and fluency, and/or application. Key words and phrases in the standards indicate which component(s) of rigor the standard is targeting: conceptual understanding standards often use terms like *understand*, *recognize*, or *interpret*; procedural skill and fluency standards tend to use words like *fluently*, *find*, or *solve*; and application standards typically use phrases like *word problems* or *real-world problems*. Key words and phrases are underlined in each standard to help clarify the identified component(s) of rigor for each standard.

Focus in the Standards

Not all content in a given grade is emphasized equally in the standards. Some clusters require greater emphasis than others based on the depth of the ideas, the time that they take to master, and/or their importance to future mathematics or the demands of college and career readiness. More time in these areas is also necessary for students to meet the Louisiana Standards for Mathematical Practice. To say that some things have greater emphasis is not to say that anything in the standards can safely be neglected in instruction. Neglecting material will leave gaps in student skill and understanding and may leave students unprepared for the challenges of a later grade. Students should spend the large majority of their time on the major work of the grade (■). Supporting work (■) and, where appropriate, additional work (■) can engage students in the major work of the grade.

2nd Grade

LSSM – 2 nd Grade		Explicit Component(s) of Rigor		
Code	Standard	Conceptual Understanding	Procedural Skill and Fluency	Application
2.OA.A.1	Use addition and subtraction within 100 to solve one- and two-step <u>word problems</u> involving situations of adding to, taking from, putting together, taking apart, and comparing, with unknowns in all positions, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem.			✓
2.OA.B.2	<u>Fluently</u> add and subtract within 20 <u>using mental strategies</u> . By end of Grade 2, <u>know from memory</u> all sums of two one-digit numbers.		✓	
2.OA.C.3	<u>Determine</u> whether a group of objects (up to 20) has an odd or even number of members, e.g., by pairing objects or counting them by 2s; <u>write</u> an equation to express an even number as a sum of two equal addends.	✓		
2.OA.C.4	<u>Use addition</u> to <u>find</u> the total number of objects arranged in rectangular arrays with up to 5 rows and up to 5 columns; <u>write</u> an equation to express the total as a sum of equal addends.	✓		
2.NBT.A.1	<u>Understand</u> that the three digits of a three-digit number represent amounts of hundreds, tens, and ones; e.g., 706 equals 7 hundreds, 0 tens, and 6 ones. Understand the following as special cases:	✓		
2.NBT.A.1a	100 can be thought of as a bundle of ten tens — called a “hundred.”	✓		
2.NBT.A.1b	The numbers 100, 200, 300, 400, 500, 600, 700, 800, 900 refer to one, two, three, four, five, six, seven, eight, or nine hundreds (and 0 tens and 0 ones).	✓		
2.NBT.A.2	<u>Count</u> within 1000; <u>skip-count</u> by 5s, 10s, and 100s.		✓	
2.NBT.A.3	<u>Read and write</u> numbers to 1000 using base-ten numerals, number names, and expanded form.	✓	✓	
2.NBT.A.4	<u>Compare</u> two three-digit numbers based on meanings of the hundreds, tens, and ones digits, using >, =, and < symbols to record the results of comparisons.	✓		
2.NBT.B.5	<u>Fluently</u> add and subtract within 100 <u>using strategies</u> based on place value, properties of operations, and/or the relationship between addition and subtraction.		✓	
2.NBT.B.6	<u>Add</u> up to four two-digit numbers <u>using strategies</u> based on place value and properties of operations.	✓	✓	
2.NBT.B.7	<u>Add and subtract</u> within 1000, <u>using</u> concrete models or drawings and strategies based on place value, properties of operations, and/or the relationship between addition and subtraction; <u>justify</u> the reasoning used with a written explanation. <u>Understand</u> that in adding or subtracting three- digit numbers, one adds or subtracts hundreds and hundreds, tens and tens, ones and ones; and sometimes it is necessary to compose or decompose tens or hundreds.	✓	✓	
2.NBT.B.8	<u>Mentally add</u> 10 or 100 to a given number 100–900, and <u>mentally subtract</u> 10 or 100 from a given number 100–900.	✓		

LSSM – 2 nd Grade		Explicit Component(s) of Rigor		
Code	Standard	Conceptual Understanding	Procedural Skill and Fluency	Application
2.NBT.B.9	<u>Explain</u> why addition and subtraction strategies work, using place value and the properties of operations.	✓		
2.MD.A.1	<u>Measure</u> the length of an object by selecting and using appropriate tools such as rulers, yardsticks, meter sticks, and measuring tapes.		✓	
2.MD.A.2	<u>Measure</u> the length of an object twice, using length units of different lengths for the two measurements; <u>describe</u> how the two measurements relate to the size of the unit chosen.	✓	✓	
2.MD.A.3	<u>Estimate</u> lengths using units of inches, feet, centimeters, and meters.	✓		
2.MD.A.4	<u>Measure</u> to determine how much longer one object is than another, expressing the length difference in terms of a standard length unit.		✓	
2.MD.B.5	Use addition and subtraction within 100 to solve <u>word problems</u> involving lengths that are given in the same units, e.g., by using drawings (such as drawings of rulers) and equations with a symbol for the unknown number to represent the problem.			✓
2.MD.B.6	<u>Represent</u> whole numbers as lengths from 0 on a number line diagram with equally spaced points corresponding to the numbers 0, 1, 2, ..., and <u>represent</u> whole-number sums and differences within 100 on a number line diagram.	✓		
2.MD.C.7	<u>Tell and write</u> time from analog and digital clocks to the nearest five minutes, using a.m. and p.m.	✓	✓	
2.MD.C.8	Solve <u>word problems</u> involving dollar bills, quarters, dimes, nickels, and pennies, using \$ and ¢ symbols appropriately. <i>Example: If you have 2 dimes and 3 pennies, how many cents do you have?</i>			✓
2.MD.D.9	<u>Generate</u> measurement data by measuring lengths of several objects to the nearest whole unit, or by making repeated measurements of the same object. <u>Show</u> the measurements by making a line plot, where the horizontal scale is marked off in whole-number units.		✓	
2.MD.D.10	<u>Draw</u> a picture graph and a bar graph (with single-unit scale) to represent a data set with up to four categories. <u>Solve</u> simple put-together, take-apart, and compare problems using information presented in a bar graph.		✓	✓
2.G.A.1	<u>Recognize and draw</u> shapes having specified attributes, such as a given number of angles or a given number of equal faces. <u>Identify</u> triangles, quadrilaterals, pentagons, hexagons, and cubes.	✓	✓	
2.G.A.2	<u>Partition</u> a rectangle into rows and columns of same-size squares and <u>count</u> to find the total number of them.	✓	✓	
2.G.A.3	<u>Partition</u> circles and rectangles into two, three, or four equal shares, <u>describe</u> the shares using the words halves, thirds, half of, a third of, etc., and <u>describe</u> the whole as two halves, three thirds, four fourths. <u>Recognize</u> that equal shares of identical wholes need not have the same shape.	✓	✓	